

**Technical Data Sheet** 

## XIAMETER<sup>™</sup> AFE-1520 Antifoam Emulsion

20 percent active, food-grade, silicone emulsion

## Features & Benefits

- Water-dilutable
- Foam prevention in food and chemical processes
- Economical
- Easy to use
- Effective in both hot and cold systems
- Effective in low concentrations

Composition • Milky-white liquid

• Silicone emulsion

**Applications** 

- Food processing
- Chemical
- Agrichemical
- Beverage manufacturing
- Meat, poultry and seafood applications
- Chemical fermentation operations
- Waste water treatment
- Vegetable processing

## **Typical Properties**

Specification Writers: These values are not intended for use in preparing specifications.

Property	Unit	Result
Appearance		White
Active Ingredient	%	20
Specific Gravity, at 25°C (77°F)		1.0
Viscosity at 25°C (77°F)	ср	6,000
Consistency at 25°C (77°F)		Medium
рН		4
Emulsifier Type		Non-ionic
Suitable Diluent		Cool Water

Description	XIAMETER™ AFE-1520 Antifoam Emulsion is a 20 percent-active, food grade, silicone emulsion. This antifoam is water dilutable and effective in both hot and cold systems.
Food Regulation Status	To get the status of XIAMETER AFE-1520 Antifoam Emulsion, please always refer to the Food Additive/Food Contact – Regulatory Information sheet available on request to our customer service.
Kosher Acceptance	Kosher certified product available. Contact your local representative for current compliance information.
Halal Compliance	Please contact your local representative for current Halal compliance documentation.
GMO Status	XIAMETER AFE-1520 Antifoam Emulsion does not contain genetically modified organisms. Dow does not test for genetically modified organics.
How To Use	Amount Needed XIAMETER AFE-1520 Antifoam Emulsion is effective in very low concentrations. One to ten parts of active silicone per million parts foamer are sufficient to control foaming in many systems.
	Begin trials at higher levels (10 ppm active silicone), then work down to the level of foam control desired.
	The following are parts per million equivalents:
	<ul> <li>3.35 fl oz in 500 gal = 10 ppm (99.07 mL in 1892.65 L = 10 ppm)</li> <li>6.65 fl oz in 1,000 gal = 10 ppm (192.22 mL in 3785.3 L = 10 ppm)</li> <li>16.7 fl oz in 2,500 gal = 10 ppm (493.87 mL in 9463.25 L = 10 ppm)</li> <li>5.0 qt in 25,000 gal = 10 ppm (4.7315 L in 94632.5 L = 10 ppm)</li> </ul>
	Adding the Antifoam To produce optimal foam control, it is necessary to have the antifoam completely dispersed in the foaming medium. Follow these steps to achieve complete dispersion:
	<ol> <li>Agitate product prior to use.</li> <li>Predilute with 3 to 10 parts of cool water to aid in dispersion. Add the antifoam to the water with slow mixing. Prediluted material should be used immediately. If the system can provide adequate agitation to disperse the antifoam, the antifoam emulsion may be added.</li> <li>Add the antifoam prior to the point where foaming occurs within the system, if possible.</li> </ol>
	A preservative to guard against microbial growth is included in XIAMETER AFE-1520 Antifoam Emulsion. Dilution will substantially diminish the effectiveness of the preservative. If diluted material is to be stored for more than several days, additional preservative may be required. Contact Dow for additional information.

Handling Precautions	PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.CONSUMER.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE. This product will freeze at or below 0°C (32°F). If frozen, it can be thawed and used without loss of efficiency. Agitation may be required.
Usable Life And Storage	Product should be stored between 5 and 40°C (41 and 104°F) in original, unopened containers.
	During prolonged storage there may be a slight tendency for product separation; therefore, it is recommended that XIAMETER AFE-1520 Antifoam Emulsion be gently agitated prior to use to ensure homogeneity.
	XIAMETER AFE-1520 Antifoam Emulsion will freeze below 0°C (32°F). If frozen, allow to thaw at 18–29°C (64.4–84.2°F) for at least one day and agitate gently to assure homogeneity.
Limitations	This product is neither tested nor represented as suitable for medical or pharmaceutical uses.
Health And Environmental Information	To support customers in their product safety needs, Dow has an extensive Product Stewardship organization and a team of product safety and regulatory compliance specialists available in each area.
	For further information, please see our website, www.consumer.dow.com or consult your local Dow representative.

http://www.xiameter.com

## LIMITED WARRANTY INFORMATION - PLEASE READ CAREFULLY

The information contained herein is offered in good faith and is believed to be accurate. However, because conditions and methods of use of our products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective, and fully satisfactory for the intended end use. Suggestions of use shall not be taken as inducements to infringe any patent.

Dow's sole warranty is that our products will meet the sales specifications in effect at the time of shipment.

Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted.

TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, DOW SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY.

DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

